

SCRUBBERS & SWEEPERS



HIGH PRESSURE CLEANERS



FURNITURE & CARPET CLEANING EQUIPMENT



STEAM MACHINE



WET & DRY VACUUM CLEANERS

GLASS & SOLAR SYSTEM CLEANING



**HOUSE KEEPING EQUIP.
HYGIENE & TOILET PERFUMS**

High Pressure Cleaner Cold & Hot Water

LAVOR PRO



Hyper C



Michigan LP



Arizona LP

Model	Hyper C 2021 LP
operat. pressure	200 bar-2900 psi
delivery rate	1260 l/h-5.55 GPM
abs. power/voltage	9400W - 400V~50Hz 3ph
pump type/RPM	MPWJ5/1450 RPM
max. water inlet temperature	40 °C
dimension/weight	50x90x83cm / 58 Kg - 128 lbs

Model	MICHIGAN 2515 LP
operat. pressure	250 bar-3600 psi
delivery rate	900 l/h-3.96 GPM
abs. power/voltage	8500W - 400V~50Hz 3ph
pump type/RPM	MPW5/1450 RPM
max. water inlet temperature	40 °C
dimension/weight	60x55x107cm / 70 Kg - 154 lbs

Model	Arizona 1209 LP
operat. pressure	120/150 bar-1740/2175 psi
delivery rate	510 l/h-2.23 GPM
abs. power/voltage	2300W - 230V~50Hz 1 ph
pump type/RPM	MP3/1450 RPM
max. water inlet temperature	40 °C
dimension/weight	59x37x87cm / 26 Kg - 57 lbs


Model	Arizona 1311 LP
operat. pressure	130/150 bar-1885/2175 psi
delivery rate	660 l/h-2.90 GPM
abs. power/voltage	2900W - 230V~50Hz 1 ph
pump type/RPM	MP3/1450 RPM
max. water inlet temperature	40 °C
dimension/weight	59x37x87cm / 28 Kg - 61 lbs

MPW5 Series



Model	MPW 5
RPM	1450
Max. pressure	200bar 2900Psi 20MPa
Flow rate	1.5 l/m 4 GPM
Requested power	7 kW
Power supply	3Ph Y 400V~50Hz
Weight	31,3 kg 69lbs

Vulcano 74 Hot Water



Model	Vulcano 74
operat. pressure allowed max.	200 bar-2900 psi
delivery rate allowed max.	1260 l/h-5.55 GPM
abs. power/voltage	300W/230V~50Hz 1 ph
max. temp. outlet	140 °C
heat output	74 kW
dimension/weight	94x65x90cm / 44 Kg - 88 lbs

Thermic 9



Model	Thermic 9
operat. pressure	200 bar-2900 psi
delivery rate max	900 l/h-3.96 GPM
engine type/hp	Lavor/9
pump type/RPM	TPBH5/3400 RPM
max. temp. inlet/outlet	40 °C
dimension/weight	100x66x92cm / 50 Kg - 99 lbs

Wet & Dry Vacuum Cleaner , Injection Extraction

LAVOR PRO

Wet & Dry Vacuum Cleaner

Injection Extraction



**Windy 265 IF
Windy 365 IR**



**Taurus IR
Domus IR**



Windy 130 IF



Solaris IF



Windy IE Foam



Jupiter



Silent

Silent 72 dB



Whisper v8

Silent 76 dB

Model	Motor power	Column depression	Air suction	Tank capacity	Noise level	Packaging L x l x H	Packaging weight
	W / W max	kPa/mmH ₂ O	l/s	l	dB (A)	cm	kg
WINDY 265 IF	2000 / 2400	22 / 2200	130 l/s	65 l	79 dB (A)	60x48x87	19,8
WINDY 365 IR	3000 / 3600	22 / 2200	195 l/s	65 l	79 dB (A)	65x55x104	25,5
DOMUS IR	2000 / 2400	24 / 2400	108 l/s	78 l	74 dB (A)	75x60x103	33,5
TAURUS IR	3000 / 3600	24 / 2400	162 l/s	78 l	76 dB (A)	75x60x103	34,5
WINDY 130 IF	1200 / 1400	24 / 2400	65 l/s	30 l	79 dB (A)	38x37x70	11
SOLARIS IF	2200 / 2400	24 / 2400	108 l/s	78 l	74 dB (A)	75x60x103	37
WINDY IE Foam	2000 / 2400	22 / 2200	130 l/s	65 l	79 dB (A)	65x55x104	26,5
JUPITER	1100	23 / 2300	50 l/s	6,5 l	70 dB (A)	55x35x64	14
SILENT	800 / 900	24 / 2400	44 l/s	12 l	72 dB (A)	39x39x42	7,4
WHISPER V8	1100 / 1300	27 / 2700	56 l/s	15 l	76 dB (A)	49x39x42	9,5

Scrubber Driers , Single Disk ,Walk Behind & Ride On

LAVOR PRO



Quick



Free Evo



Comfort XXS



Comfort XS-R Essential



CDK-G45 (150-18)



Model	Power supply	Scrubbing width	Squeegee width	Max working capacity	Detergent tank capacity	Recovery tank capacity	Packaging	Weight / kg
Quick 36E	230V/50HZ	360	460	1260-13562	11/2,91	12/3,17	81x56x80/32x22x32	62
Quick 36B	12V	360	460	1260-13562	11/2,91	12/3,17	81x56x80/32x22x32	70
Free EVO 50E	230V/50HZ	500	800	2000-21527	44/11,63	50/13,21	125x57x116/49,5x22,5x46	117
Free EVO 50B	24V	500	800	2000-21527	44/11,63	50/13,21	125x57x116/49,5x22,5x46	85
Comfort XXS 66	24V	660	855	3250-34982	75/19,81	80/21,13	153x82x140/60x32x55	251
Comfort XS-R 75 Essential	24V	750	900	3750-40364	110/29,06	130/34,34	152x97x154/59x39x61	226

CDK G45(150-18)	
brush speed	154 RPM mm
scrubbing width	430 mm
voltage	230V / 50 Hz
power	1800 W
cable lenght	15 m

Sweepers Walk Behind & Ride On

LAVOR PRO



**SWL R 1000 ET
SWL R 1000 ST**

	SWL R 1000 ET (Battery)	SWL R 1000 ST (Benzen)
main brush width	700 mm / 27,56 inc	
main brush + 1 side brush	920 mm / 36,22 inc	
main brush + 2 side brushes	1230 mm / 48,42 inc	
collector tank	62 lt / 16,38 gal	
max working capacity	6200 m ² /h-66736 ft ²	8280 m ² /h-89125 ft ²
traction / limiting gradient	rear wheels / 12%	front wheel / 14%
max speed	5,8 km/h-3,60 mile/h	
motor type / power	24V / 1150W	Honda 5,5 HP / 4,1kW
filtering surface	6 m ² / 64,6 ft ²	
filter shaker	electric	
dimension / weight	143x91x114cm/260kg	143x91x114cm/300kg



**SWL 900 ET (Battery)
SWL 900 ST (Benzen)**

	SWL 900 ET
main brush width	710mm / 27,95 inc
main brush + 1 side brush width	880mm / 34,64 inc
collector tank	60 lt / 15,85 gal
max working capacity	3700m ² /h-39826 ft ²
traction	mechanical
max speed	4 km/h-2,49mile/h
motor type / power	12V / 400W
filtering surface	3,02 m ² / 32,50 ft ²
pressure on the brushes	adjustable
filter shaker	electric
dimension / weight	126x83x85 cm / 89 kg



BSW 375 ET

	BSW 375 ET
main brush + 2 side brush width	375mm / 14,76 inc
collector tank	2 lt / 0,52 gal
max working capacity	1000 m ² /h-10764 ft ²
Operating voltage	10,8V/1,5 Ah
Max. Power	25 W
Voltage (charging unit)	230 V-50 Hz
dimension / weight	30x36x70cm / 2,8 kg

Industrial Steam Machines

LAVOR PRO

GV Etna 4000



	GV Etna 4000
Max steam pressure/temperature	7 bar / 165° C
Boiler absorbed power	3000 W / 230V ~ 50Hz (Ph 1)
Vacuum motor absorbed power	1100 W
Column depression/Air flow	20.39 kPa / 220 m ³ /h
Water tank/detergent tank capacity	5 l / 5 l



House Keeping Equipment



Waste Bins



Indoor Cleaning System .Up To 10 Meter

MADE IN GERMANY



Out Door Cleaning System .Up To 21 Meter

MADE IN GERMANY



Aerial Man Lift .Up To 36 Meter



Hygiene Hand Dryer



Toilet Perfums



CONTACT US



-  TV & Radio station Rd, building no. 44
Almoqabaleen, Amman, Jordan
-  +962 6 4788344
-  +962 6 4730068
-  +962 795582811
-  info@abcakloukbros.com
-  www.abcakloukbros.com
-  [عكلك | ABC Aklouk](#)

